

Message

From: Wozniak, Chris [wozniak.chris@epa.gov]
Sent: 7/14/2021 2:24:14 PM
To: Kirk, Cassandra [kirk.cassandra@epa.gov]
CC: Striegel, Wiebke [Striegel.Wiebke@epa.gov]
Subject: RE: Re-signing Arbovirus memo
Attachments: Arbovirus Memo 071421_WS.CK.CAW.pdf

I signed, but still see the 'at least one signature has problems' indication. Perhaps it is some thing to do with the latest Adobe push I understand they performed last weekend.

Chris

Chris A Wozniak, Ph.D.
Biotechnology Special Assistant
U.S. Environmental Protection Agency
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division
(703) 308-4043 - office
(703) 308-7026 - fax
wozniak.chris@epa.gov

Mailing Address:
U.S. EPA-OPP
Biopesticides and Pollution Prevention Division Mailcode:7511P
1200 Pennsylvania Avenue NW
Washington DC 20460

From: Kirk, Cassandra <kirk.cassandra@epa.gov>
Sent: Wednesday, July 14, 2021 10:09 AM
To: Wozniak, Chris <wozniak.chris@epa.gov>
Subject: FW: Re-signing Arbovirus memo

From: Kirk, Cassandra
Sent: Wednesday, July 14, 2021 10:05 AM
To: Striegel, Wiebke <Striegel.Wiebke@epa.gov>
Subject: RE: Re-signing Arbovirus memo

Same issue even after trying several times 😞

From: Striegel, Wiebke <Striegel.Wiebke@epa.gov>
Sent: Wednesday, July 14, 2021 9:26 AM
To: Kirk, Cassandra <kirk.cassandra@epa.gov>
Subject: Re-signing Arbovirus memo

Let's give this another shot!

Wiebke Tapken Striegel, Ph.D.
Senior Scientist

U.S. Environmental Protection Agency
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division
Emerging Technologies Branch
Office Phone: +1 703 347 0556